Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 71B

Akasaka, T. See Yamada, M. K., 7
Albakry, M.
—; Guazzato, M.; Swain, M. V.: Influence of hot pressing on the microstructure and fracture toughness of two pressable dental glass–ceramics, 99
Al-Turki, L. I. See Drummond, J. L., 172
An, Y. H. See Moreira, P. L., 229
An, Y. See Zhang, R., 408
Andronova, K. See Drummond, J. L., 172
Aoki, M.
—; Miyamoto, S.; Okamura, K.; Yamashita, T.; Ikada, Y.; Matsuda, S.: Tensile properties and biological response of poly(L-lactic acid) felt graft: An experimental trial for rotator-cuff reconstruction, 252
Aoyagi, M. See Takahashi, A., 214
Arrais, C. A. G. See Reis, A. F., 90
Arts, J. J. C. See Voor, M. J., 398
Aykent, F. See Usumez, A., 196

Barbosa, M. A. See Zhu, H., 159
Becker, A. See Schwieger, K., 223
Bellucci, A. D. See Rocha, L. B., 355
Ben, G. See Tanimoto, Y., 188
Bernauer, J. See Fini, M., 30
Birch, M. A. See Elfick, A. P. D., 244
Bishop, N. See Schwieger, K., 223
Boland, E. D.
—; Telemeco, T. A.; Simpson, D. G.; Wnek, G. E.; Bowlin, G. L.: Utilizing acid pretreatment and electrospinning to improve biocompatibility of poly(glycolic acid) for tissue engineering, 144
Bonfield, W. See Lynn, A. K., 343
Borsari, V. See Fini, M., 30
Bowlin, G. L. See Boland, E. D., 144
Bowman, C. N. See Lu, H., 206
Brochi, M. A. C. See Rocha, L. B., 355
Bruinsma, G. M. See Vermeltfoort, P. B. J., 336
Buchhorn, G. H. See Zysk, S. P., 108
Budinsky-Simendic, J. See Ignjatovic, N., 284
Buma, P. See Voor, M. J., 398
Burke, A. P. See Xie, H., 84
Burling, L. D. See Parsons, A. J., 22
Busscher, H. J. See Vermeltfoort, P. B. J., 336

Cao, Y. See Xia, W., 373
Caputo, S. See Carinci, F., 260
Carinci, F.
—; Piattelli, A.; Stabellini, G.; Palmieri, A.; Scapoli, L.; Laino, G.; Caputi, S.; Pezzetti, F.: Calcium sulfate: Analysis of MG63 osteoblast-like cell response by means of a microarray technology, 260
Carrero, V. See Schwieger, K., 223
Carvalho, R. M. See Reis, A. F., 90
Cha, H.-S.
—; Lee, Y.-K.; Lim, B.-S.; Rhee, S.-H.; Yang, H.-C.: Evaluation of wear resistance of dental resin composites with a 3D profilometer, 414
Chandra, S. P. See Chung, S. M., 278
Chang, C.-H.
—; Lin, F.-H.; Lin, C.-C.; Chou, C.-H.; Liu, H.-C.: Cartilage tissue engineering on the surface of a novel gelatin–calcium-phosphate biphasic scaffold in a double-chamber bioreactor, 313
Chang, H.-H. See Lin, C.-P., 429
Chang, M.-C. See Lin, C.-P., 429
Chao, W. M.-W. See Lin, C.-P., 429
Chen, J.-H. See Shih, H.-N., 421
Chen, S.-Y. See Liu, T.-Y., 116
Chen, Y.-H. See Shih, H.-N., 421
Chen, Y.-J. See Lin, C.-P., 429
Chiesa, R. See Fini, M., 30
Chiusoli, L. See Fini, M., 30
Chou, C.-H. See Chang, C.-H., 313
Chua, K. See Xia, W., 373
Chung, S. M.
—; Yap, A. U. J.; Chandra, S. P.; Lim, C. T.: Flexural strength of dental composite restoratives: Comparison of biaxial and three-point bending test, 278
Cigada, A. See Fini, M., 30
Cui, L. See Xia, W., 373

da Luz Moreira, P. See Marreco, P. R., 268
De Goes, M. F. See Reis, A. F., 90
Dickens, S. H. See Lu, H., 026
Dimaano, F. See Frenkel, S. R., 387
Dimaano, N. M. See Zhang, R., 408
Doherty, S. A. See Hile, D. D., 201
Dörfer, C. E. See Pioch, T., 238
Draughn, R. A. See Zhang, R., 408
Drummond, J. L.
—; Andronova, K.; Al-Turki, L. I.; Slaughter L. D.: Leaching and mechanical properties characterization of dental composites, 172

Eichmiller, F. C. See Lu, H., 026
Elfick, A. P. D.
—; Green, S. M.; McCaskie, A. W.; Birch, M. A.: Opsonization of polyethylene wear particles regulates macrophage and osteoblast responses *in vitro*, 244
Epstein, N. J. See Warme, B. A., 360

Fang, J.-F. See Shih, H.-N., 421
Fini, M.
—; Giavaresi, G.; Giardino, R.; Lenger, H.; Bernauer, J.; Rimondini, L.; Torricelli, P.; Borsari, V.; Chiusoli, L.; Chiesa, R.; Cigada, A.: A new austenitic stainless steel with a negligible amount of nickel: An *in vitro* study in view of its clinical application in osteoporotic bone, 30
Fischer, U. See Hempel, U., 130
Frenkel, S. R.
—; Jaffe, W. L.; Dimaano, F.; Iesaka, K.; Hua, T.: Bone response to a novel highly porous surface in a canine implantable chamber, 387
Fujita, M. See Hayashi, T., 367
Fukuda, H.
—; Inokuti, Y.: Aspiration biopsy using new ceramic-coated stainless steel puncture needle, 392

Galasko, C. S. B. See Zenios, M., 322
Gebhard, H. See Zysk, S. P., 108
Gelinsky, M. See Hempel, U., 130
Genari, S. C. See Moreira, P. L., 229; Marreco, P. R., 268
Giannini, M. See Reis, A. F., 90
Giardino, R. See Fini, M., 30
Giavaresi, G. See Fini, M., 30
Goodman, S. B. See Warme, B. A., 360
Green, S. M. See Elfick, A. P. D., 244
Gregory, K. W. See Xie, H., 84
Guazzato, M. See Albakry, M., 99
Gurhan, I. See Muvaffak, A., 295
Gustafson, S. B. See Xie, H., 84

Haβhoff, G.
—; Schneider, H.; Merte, K.: Tooth–composite interface from specific and non-specific adhesive restorative systems, 38
Hagge, M. See Pioch, T., 238
Hanada, K. See Hayashi, T., 367
Hasirci, N. See Muvaffak, A., 295
Hawkins, M. V. See Zhang, R., 408

Journal of Biomedical Materials Research (Applied Biomaterials) Author Index—Volume 71B

Akasaka, T. See Yamada, M. K., 7
Albakry, M.
—; Guazzato, M.; Swain, M. V.: Influence of hot pressing on the microstructure and fracture toughness of two pressable dental glass–ceramics, 99
Al-Turki, L. I. See Drummond, J. L., 172
An, Y. H. See Moreira, P. L., 229
An, Y. See Zhang, R., 408
Andronova, K. See Drummond, J. L., 172
Aoki, M.
—; Miyamoto, S.; Okamura, K.; Yamashita, T.; Ikada, Y.; Matsuda, S.: Tensile properties and biological response of poly(L-lactic acid) felt graft: An experimental trial for rotator-cuff reconstruction, 252
Aoyagi, M. See Takahashi, A., 214
Arrais, C. A. G. See Reis, A. F., 90
Arts, J. J. C. See Voor, M. J., 398
Aykent, F. See Usumez, A., 196

Barbosa, M. A. See Zhu, H., 159
Becker, A. See Schwieger, K., 223
Bellucci, A. D. See Rocha, L. B., 355
Ben, G. See Tanimoto, Y., 188
Bernauer, J. See Fini, M., 30
Birch, M. A. See Elfick, A. P. D., 244
Bishop, N. See Schwieger, K., 223
Boland, E. D.
—; Telemeco, T. A.; Simpson, D. G.; Wnek, G. E.; Bowlin, G. L.: Utilizing acid pretreatment and electrospinning to improve biocompatibility of poly(glycolic acid) for tissue engineering, 144
Bonfield, W. See Lynn, A. K., 343
Borsari, V. See Fini, M., 30
Bowlin, G. L. See Boland, E. D., 144
Bowman, C. N. See Lu, H., 206
Brochi, M. A. C. See Rocha, L. B., 355
Bruinsma, G. M. See Vermeltfoort, P. B. J., 336
Buchhorn, G. H. See Zysk, S. P., 108
Budinsky-Simendic, J. See Ignjatovic, N., 284
Buma, P. See Voor, M. J., 398
Burke, A. P. See Xie, H., 84
Burling, L. D. See Parsons, A. J., 22
Busscher, H. J. See Vermeltfoort, P. B. J., 336

Cao, Y. See Xia, W., 373
Caputo, S. See Carinci, F., 260
Carinci, F.
—; Piattelli, A.; Stabellini, G.; Palmieri, A.; Scapoli, L.; Laino, G.; Caputi, S.; Pezzetti, F.: Calcium sulfate: Analysis of MG63 osteoblast-like cell response by means of a microarray technology, 260
Carrero, V. See Schwieger, K., 223
Carvalho, R. M. See Reis, A. F., 90
Cha, H.-S.
—; Lee, Y.-K.; Lim, B.-S.; Rhee, S.-H.; Yang, H.-C.: Evaluation of wear resistance of dental resin composites with a 3D profilometer, 414
Chandra, S. P. See Chung, S. M., 278
Chang, C.-H.
—; Lin, F.-H.; Lin, C.-C.; Chou, C.-H.; Liu, H.-C.: Cartilage tissue engineering on the surface of a novel gelatin–calcium-phosphate biphasic scaffold in a double-chamber bioreactor, 313
Chang, H.-H. See Lin, C.-P., 429
Chang, M.-C. See Lin, C.-P., 429
Chao, W. M.-W. See Lin, C.-P., 429
Chen, J.-H. See Shih, H.-N., 421
Chen, S.-Y. See Liu, T.-Y., 116
Chen, Y.-H. See Shih, H.-N., 421
Chen, Y.-J. See Lin, C.-P., 429
Chiesa, R. See Fini, M., 30
Chiusoli, L. See Fini, M., 30
Chou, C.-H. See Chang, C.-H., 313
Chua, K. See Xia, W., 373
Chung, S. M.
—; Yap, A. U. J.; Chandra, S. P.; Lim, C. T.: Flexural strength of dental composite restoratives: Comparison of biaxial and three-point bending test, 278
Cigada, A. See Fini, M., 30
Cui, L. See Xia, W., 373

da Luz Moreira, P. See Marreco, P. R., 268
De Goes, M. F. See Reis, A. F., 90
Dickens, S. H. See Lu, H., 026
Dimaano, F. See Frenkel, S. R., 387
Dimaano, N. M. See Zhang, R., 408
Doherty, S. A. See Hile, D. D., 201
Dörfer, C. E. See Pioch, T., 238
Draughn, R. A. See Zhang, R., 408
Drummond, J. L.
—; Andronova, K.; Al-Turki, L. I.; Slaughter L. D.: Leaching and mechanical properties characterization of dental composites, 172

Eichmiller, F. C. See Lu, H., 026
Elfick, A. P. D.
—; Green, S. M.; McCaskie, A. W.; Birch, M. A.: Opsonization of polyethylene wear particles regulates macrophage and osteoblast responses *in vitro*, 244
Epstein, N. J. See Warme, B. A., 360

Fang, J.-F. See Shih, H.-N., 421
Fini, M.
—; Giavaresi, G.; Giardino, R.; Lenger, H.; Bernauer, J.; Rimondini, L.; Torricelli, P.; Borsari, V.; Chiusoli, L.; Chiesa, R.; Cigada, A.: A new austenitic stainless steel with a negligible amount of nickel: An *in vitro* study in view of its clinical application in osteoporotic bone, 30
Fischer, U. See Hempel, U., 130
Frenkel, S. R.
—; Jaffe, W. L.; Dimaano, F.; Iesaka, K.; Hua, T.: Bone response to a novel highly porous surface in a canine implantable chamber, 387
Fujita, M. See Hayashi, T., 367
Fukuda, H.
—; Inokuti, Y.: Aspiration biopsy using new ceramic-coated stainless steel puncture needle, 392

Galasko, C. S. B. See Zenios, M., 322
Gebhard, H. See Zysk, S. P., 108
Gelinsky, M. See Hempel, U., 130
Genari, S. C. See Moreira, P. L., 229; Marreco, P. R., 268
Giannini, M. See Reis, A. F., 90
Giardino, R. See Fini, M., 30
Giavaresi, G. See Fini, M., 30
Goodman, S. B. See Warme, B. A., 360
Green, S. M. See Elfick, A. P. D., 244
Gregory, K. W. See Xie, H., 84
Guazzato, M. See Albakry, M., 99
Gurhan, I. See Muvaffak, A., 295
Gustafson, S. B. See Xie, H., 84

Haβhoff, G.
—; Schneider, H.; Merte, K.: Tooth–composite interface from specific and non-specific adhesive restorative systems, 38
Hagge, M. See Pioch, T., 238
Hanada, K. See Hayashi, T., 367
Hasirci, N. See Muvaffak, A., 295
Hawkins, M. V. See Zhang, R., 408

Hayashi, T.
—; Matsuyama, T.; Hanada, K.; Nakanishi, K.; Uenoyama, M.; Fujita, M.; Ishihara, M.; Kikuchi, M.; Ikeda, T.; Tajiri, H.: Usefulness of photocrosslinkable chitosan for endoscopic cancer treatment in alimentary tract, 367
Helvatjoglu-Antoniades, M. See Papadogiannis,Y., 327
Hempel, U.
—; Reinstorf, A.; Poppe, M.; Fischer, U.; Gelinsky, M.; Pompe, W.; Wenzel, K. W.: Proliferation and differentiation of osteoblasts on biocement D modified with collagen type I and citric acid, 130
Higashino, F. See Takahashi, A., 214
Hile, D. D.
—; Doherty, S. A.; Trantolo, D. J.: Prediction of resorption rates for composite polylactide/hydroxylapatite internal fixation devices based on initial degradation profiles, 201
Hille, E. See Schwieger, K., 223
Honl, M. See Schwieger, K., 223
Hooymans, J. M. M. See Vermeltofort, P. B. J., 336
Hua, T. See Frenkel, S. R., 387

Iesaka, K. See Frenkel, S. R., 387
Ignjatovic, N.
—; Suijovrujic, E.; Budinski-Simendic, J.; Krakovsky, I.; Uskokovic, D.: Evaluation of hot-pressed hydroxyapatite/poly-L-lactide composite biomaterial characteristics, 284
Ikada, Y. See Aoki, M., 252
Ikeda, T. See Hayashi, T., 367
Inan, O. See Usumez, A., 196
Inokuti, Y. See Fukuda, H., 392
Ishihara, M. See Hayashi, T., 367
Iwaki, H. See Minoda, Y., 1

Jaffe, W. L. See Frenkel, S. R., 387
Janna, S. See Lewis, G., 77
Jansson, V. See Zysk, S. P., 108
Jeng, J.-H. See Lin, C.-P., 429
Ji, J. See Zhu, H., 159

Kadoya, Y. See Minoda, Y., 1
Kikuchi, M. See Hayashi, T., 367
Kim, H.-E. See Kim, H.-W., 66
Kim, H.-W.
—; Knowles, J. C.; Salih, V.; Kim, H.-E.: Hydroxyapatite and fluor-hydroxyapatite layered film on titanium processed by a sol–gel route for hard-tissue implants, 66
Klein, S. A. See Voor, M. J., 398
Knowles, J. C. See Kim, H.-W., 66
Kobayashi, A. See Minoda, Y., 1
Kohgo, T. See Takahashi, A., 214
Krakovsky, I. See Ignjatovic, N., 284
Kyo, S. See Takahashi, A., 214

Laino, G. See Carinci, F., 260
Lakes, R. S. See Papadogiannis,Y., 327
Lan W.-H. See Lin, C.-P., 429
Lawn, B. R. See Zhang, Y., 166, 381
Lee, M.-Y. See Lin, C.-P., 429
Lee, Y.-K.
—; Lim, B.-S.; Rhee, S.-H.; Yang, H.-C.; Powers, J. M.: Changes of optical properties of dental nano-filled resin composites after curing and thermocycling, 16
Lee, Y.-K. See Cha, H.-S., 414
Lee, Y.-L. See Lin, C.-P., 429
Lenger, H. See Fini, M., 30
Lewis, G.
—; Janna, S.: The *in vitro* elution of gentamicin sulfate from a commercially available gentamicin-loaded acrylic bone cement, VersaBond™ AB, 77
Lim, B.-S. See Lee, Y.-K., 16; Cha, H.-S., 414
Lim, C. T. See Chung, S. M., 278
Lin, B.-R. See Lin, C.-P., 429
Lin, C.-C. See Chang, C.-H., 313
Lin, C.-P.
—; Chen, Y.-J.; Lee, Y.-L.; Wang, J.-S.; Chang, M.-C.; Lan, W.-H.; Chang, H.-H.; Chao, W. M.-W.; Tai, T.-F.; Lee, M.-Y.; Lin, B.-R.; Jeng, J.-H.: Effects of root-end filling materials and eugenol on mitochondrial dehydrogenase activity and cytotoxicity to human periodontal ligament fibroblasts, 429
Lin, F.-H. See Chang, C.-H., 313
Lin, H.-R.
—; Yeh, Y.-J.: Porous alginate/hydroxyapatite composite scaffolds for bone tissue engineering: Preparation, characterization, and *in vitro* studies, 52
Liu, D.-M. See Liu, T.-Y., 116
Liu, D. See Xia, W., 373
Liu, H.-C. See Chang, C.-H., 313
Liu, T.-Y.
—; Chen, S.-Y.; Liu, D.-M.: Influence of the aspect ratio of bioactive nanofillers on rheological behavior of PMMA-based orthopedic materials, 116
Liu, W. See Xia, W., 373
Liu, Y. See Xia, W., 373
Louis, H. See Schwieger, K., 223
Lu, H.
—; Stansbury, J. W.; Dickens, S. H.; Eichmiller, F. C.; Bowman, C. N.: Probing the origins and control of shrinkage stress in dental resin composites. II. Novel method of simultaneous measurement of polymerization shrinkage stress and conversion, 206
Lynn, A. K.
—; Yannas, I. V.; Bonfield, W.: Antigenicity and immunogenicity of collagen, 343

Ma, T. See Warme, B. A., 360
Marra, K. G. See Moffat, K. L., 181
Marreco, P. R.
—; da Luz Moreira, P.; Genari, S. C.; Moraes, A. M.: Effects of different sterilization methods on the morphology, mechanical properties, and cytoxicity of chitosan membranes used as wound dressings, 268
Matsuda, S. See Aoki, M., 252
Matsuyama, T. See Hayashi, T., 367
Maus, U. See Niedhart, C., 123
McCaskie, A. W. See Elfick, A. P. D., 244
Merte, K. See Haβhoff, G., 38
Messmer, K. See Zysk, S. P., 018
Miltner, O. See Niedhart, C., 123
Minoda, Y.
—; Kobayashi, A.; Iwaki, H.; Miyaguchi, M.; Kadoya, Y.; Ohashi, H.; Takaoka, K.: Characteristics of polyethylene wear particles isolated from synovial fluid after mobile-bearing and posterior-stabilized total knee arthroplasties, 1
Miyaguchi, M. See Minoda, Y., 1
Miyamoto, S. See Aoki, M., 252
Miyanishi, K. See Warme, B. A., 360
Moffat, K. L.
—; Marra, K. G.: Biodegradable poly(ethylene glycol) hydrogels crosslinked with genipin for tissue engineering applications, 181
Moraes, A. M. See Marreco, P. R., 268
Moreira, P. L.
—; An, Y. H.; Santos, A. R., Jr.; Genari, S. C.: *In vitro* analysis of anionic collagen scaffolds for bone repair, 229
Morlock, M. See Schwieger, K., 223
Muvaffak, A.
—; Gurhan, I.; Hasirci, N.: Prolonged cytotoxic effect of colchicine released from biodegradable microspheres, 295

Nakanishi, K. See Hayashi, T., 367
Nakata, T. See Takahashi, A., 214
Nemoto, K. See Tanimoto, Y., 188
Niedhart, C.
—; Maus, U.; Piroth, W.; Miltner, O.; Schmidt-Rohlfing, B.; Siebert, C. H.: Evaluation of a resorbable, *in situ* setting bone substitute in a sheep model, 123
Nishiwaki, T. See Tanimoto, Y., 188
Noda, M. See Takahashi, A., 214
Nokes, L. See Zenios, M., 322
Noorjahan, S. E.
—; Sastry, T. P.: An *in vivo* study of hydrogels based on physiologically clotted fibrin–gelatin composites as wound-dressing materials, 305
Norling, B. K. See Satsangi, N., 153
Novaes, P. D. See Reis, A. F., 90

Ohashi, H. See Minoda, Y., 1
Ohkawa, S. See Yamada, M. K., 7
Okamura, K. See Aoki, M., 252

Pajares, A. See Zhang, Y., 166
Palmieri, A. See Carinci, F., 260
Papadogiannis, Y.
—; Helvatjoglu-Antoniades, M.; Lakes, R. S.: Dynamic mechanical analysis of viscoelastic functions in packable composite resins measured by torsional resonance, 327
Parsons, A. J.
—; Burling, L. D.; Rudd, C. D.; Scotchford, C. A.; Walker, G. S.: The effect of production regime and crucible materials on the thermal properties of sodium phosphate glasses produced from salts, 22
Pezzetti, F. See Carinci, F., 260
Piattelli, A. See Carinci, F., 260
Pioch, T.
—; Sorg, T.; Stadler, R.; Hagge, M.; Dörfer, C. E.: Resin penetration through submicrometer hiatus structures: A SEM and CLSM study, 238
Plitz, W. See Zysk, S. P., 108
Pompe, W. See Hempel, U., 130
Poppe, M. See Hempel, U., 130
Powers, J. M. See Lee, Y.-K., 16
Prahl, S. A. See Xie, H., 84
Proth, W. See Niedhart, C., 123

Rawls, H. R. See Satsangi, N., 153
Regula, D. See Warme, B. A., 360
Reinstorf, A. See Hempel, U., 130
Reis, A. F.
—; Arrais, C. A. G.; Noveas, P. D.; Carvalho, R. M.; De Goes, M. F.; Giannini, M.: Ultramorphological analysis of resin–dentin interfaces produced with water-based single-step and two-step adhesives: Nanoleakage expression, 90
Rekow, E. D. See Zhang, Y., 381
Rentzsch, R. See Schwieger, K., 223
Rhee, S.-H. See Lee, Y.-K., 16; Cha, H.-S., 414
Rimondini, L. See Fini, M., 30
Rocha, L. B.
—; Brochi, M. A. C.; Bellucci, A. D.; Rossi, M. A.: Efficacy of polyanionic collagen matrices for bone defect healing, 355
Rossi, M. A. See Rocha, L. B., 355
Rudd, C. D. See Parsons, A. J., 22

Saket, R. R. See Warme, B. A., 360
Salih, V. See Kim, H.-W., 66
Sano, H. See Takahashi, A., 214
Santos, A. R., Jr. See Moreira, P. L., 229
Sastry, T. P. See Noorjahan, S. E., 305
Satsangi, N.
—; Rawls, H. R.; Norling, B. K.: Synthesis of low-shrinkage polymerizable liquid-crystal monomers, 153
Scapoli, L. See Carinci, F., 260
Schmidt-Rohlfing, B. See Niedhart, C., 123
Schneider, H. See Haβhoff, G., 38
Schwieger, K.
—; Carrero, V.; Rentzsch, R.; Becker, A.; Bishop, N.; Hille, E.; Louis, H.; Morlock, M.; Honl, M.: Abrasive water jet cutting as a new procedure for cutting cancellous bone–*in vitro* testing in comparison with the oscillating saw, 223
Scotchford, C. A. See Parsons, A. J., 22
Shen, J. See Zhu, H., 159
Shih, H.-N.
—; Fang, J.-F.; Chen, J.-H.; Yang, C.-L.; Chen, Y.-H.; Sung, T.-H.; Shih, L.-Y.: Reduction in experimental peridural adhesion with the use of a crosslinked hyaluronate/collagen membrane, 421
Shih, L.-Y. See Shih, H.-N., 421
Shindoh, M. See Takahashi, A., 214
Siebert, C. H. See Niedhart, C., 123
Simpson, D. G. See Boland, E. D., 144
Slaughter, L. D. See Drummond, J. L., 172
Smith, R. L. See Warme, B. A., 360
Sorg, T. See Pioch, T., 238
Sprecher, C. M. See Zysk, S. P., 108
Stabellini, G. See Carinci, F., 260
Stadler, Robin See Pioch, T., 238
Stansbury, J. W. See Lu, H., 206
Suijovrujic, E. See Ignjatovic, N., 284
Sung, T.-H. See Shih, H.-N., 421
Swain, M. V. See Albakry, M., 99

Tai, T.-F. See Lin, C.-P., 429
Tajiri, H. See Hayashi, T., 367
Takahashi, A.
—; Higashino, F.; Aoyagi, M.; Kyo,S.; Nakata, T.; Noda, M.; Shindoh, M.; Kohgo, T.; Sano, H.: Bisphenol A from dental polycarbonate crown upregulates the expression of hTERT, 214
Takaoka, K. See Minoda, Y., 1
Tanimoto, Y.
—; Nishiwaki, T.; Nemoto, K.; Ben, G.: Effect of filler content on bending properties of dental composites: Numerical simulation with the use of the finite-element method, 188
Telemeco, T. A. See Boland, E. D., 144
Thompson, V. P. See Zhang, Y., 381
Topham, D. S. See Watanabe, I., 46
Torricelli, P. See Fini, M., 30
Toth, C. A. See Zhang, R., 408
Trantolo, D. J. See Hile, D. D., 201
Trindade, M. C. D. See Warme, B. A., 360

Uenoyama, M. See Hayashi, T., 367
Uo, M. See Yamada, M. K., 7
Uskokvic, D. See Ignjatovic, N., 284
Usumez, A.
—; Inan, O.; Aykent, F.: Bond strength of a silicone lining material to alumina-abraded and lased denture resin, 196

van der Mei, H. C. See Vermeltfoort, P. B. J., 336
Veihelmann, A. See Zysk, S. P., 108
Verdonschot, N. See Voor, M. J., 398
Vermeltfoort, P. B. J.
—; van der Mei, H. C.; Busscher, H. J.; Hooymans, J. M. M.; Bruinsma, G. M.: Physicochemical factors influencing bacterial transfer from contact lenses to surfaces with different roughness and wettability, 336
Voor, M. J.
—; Arts, J. J. C.; Klein, S. A.; Walschot, L. H. B.; Verdonschot, N.; Buma, P.: Is hydroxyapatite cement an alternative for allograft bone chips in bone grafting procedures? A mechanical and histological study in a rabbit cancellous bone defect model, 398

Walker, G. S. See Parsons, A. J., 22
Walschot, L. H. B. See Voor, M. J., 398
Wang, J.-S. See Lin, C.-P., 429
Warme, B. A.
—; Epstein, N. J.; Trindade, M. C. D.; Miyanishi, K.; Ma, T.; Saket, R. R.; Regula, D.; Goodman, S. B.; Smith, R. L.: Proinflammatory mediator expression in a novel murine model of titanium-particle-induced intramedullary inflammation, 360
Watanabe, I.
—; Topham, D. S.: Tensile strength and elongation of laser-welded Ti and Ti-6Al-7Nb, 46
Watari, F. See Yamada, M. K., 7
Wenzel, K. W. See Hempel, U., 130
Wnek, G. E. See Boland, E. D., 144
Wolf, R. F. See Xie, H., 84
Wu, J. See Xia, W., 373

Xia, W.
—; Liu, W.; Cui, L.; Liu, Y.; Zhong, W.; Liu, D.; Wu, J.; Chua, K.; Cao, Y.: Tissue engineering of cartilage with the use of chitosan-gelatin complex scaffolds, 373
Xie, H.
—; Wolf, R. F.; Burke, A. P.; Gustafson, S. B.; Gregory, K. W.; Prahl, S. A.: Concentrated albumin as a biological glue for hemorrhagic control on hepatic resection with argon beam coagulation, 84

Yamada, M. K.
—; Uo, M.; Ohkawa, S.; Akasaka, T.; Watari, F.: Three-dimensional topographic scanning electron microscope and ra-

man spectroscopic analyses of the irradiation effect on teeth by Nd:YAG, Er:YAG, and CO_2 lasers, 7
Yamashita, T. See Aoki, M., 252
Yang, C.-L. See Shih, H.-N., 421
Yang, H.-C. See Lee, Y.-K., 16; Cha, H.-S., 414
Yannas, I. V. See Lynn, A. K., 343
Yap, A. U. J. See Chung, S. M., 278
Yeh, Y.-J. See Lin, H.-R., 52

Zenios, M.
—; Nokes, L.; Galasko, C. S. B.: Effect of a bisphosphonate, disodium pamidronate, on the quasi-static flexural properties of palacos R acrylic bone cement, 322
Zhang, R.
—; An, Y.; Toth, C. A.; Draughn, R. A.; Dimaano, N. M.; Hawkins, M. V.: Osteogenic protein-1 enhances osseointegration of titanium implants coated with peri-apatite in rabbit femoral defect, 408
Zhang, Y.
—; Lawn, B. R.; Rekow, E. D.; Thompson, V. P.: Effect of sandblasting on the long-term performance of dental ceramics, 381
—; Pajares, A.; Lawn, B. R.: Fatigue and damage tolerance of Y-TZP ceramics in layered biomechanical systems, 166
Zhong, W. See Xia, W., 373
Zhu, H.
—; Ji, J.; Barbosa, M. A.; Shen, J.: Protein electrostatic self-assembly on poly(DL-lactide) scaffold to promote osteoblast growth, 159
Zysk, S. P.
—; Gebhard, H.; Plitz, W.; Buchhorn, G. H.; Sprecher, C. M.; Jansson, V.; Messmer, K.; Veihelmann, A.: Influence of orthopedic particulate biomaterials on inflammation and synovial microcirculation in the murine knee joint, 108

Journal of Biomedical Materials Research (Applied Biomaterials) Subject Index—Volume 71B

Acrylic bone cement, 322
Aging, 172
Alginate, 52
Alkaline phosphatase, 229
Aluminium oxide (alumina), 22
Animal model, 360, 387
Anionic collagen, 229
Antigenicity, 343
Aspect ratio, 116
Aspiration biopsy, 392
Atelocollagen, 343

Bacterial transfer, 336
Biaxial flexural test, 278
Bilayers, 166
Bioactive glass, 22
Bioabsorbable material, 201, 252
Biocement D, 130
Biocompatibility, 144
Biocompatibility/hard tissue, 355
Biodegradable hydrogel, 181
Biodegradation, 201
Biomaterial, 108, 268
Biomechanics, 387
Bioresorpable, 22
Biphasic scaffold, 313
Bisphenol A (BPA), 214
Bisphosphonates, 322
Bone, 223
Bone graft, 355, 398
Bone repair, 229
Brittle coatings, 166

Calcium phosphate, 313
Calcium-phosphate bone cement, 130, 398
Calcium sulfate, 260
Cancellous bone, 223
Cancer, 295
Carbodiimide (EDC), 421
Cartilage, 313, 373
Cell adhesion, 159, 229
Cell culture, 52
Cell–material interactions, 159
Cellular responses, 66
Ceramic-coated needle, 392
Characterization, 268
Chitin, 268
Chitosan, 268, 373
Class II cavities, 38
Clinical response, 343
Colchicine, 295
Collagen, 343, 355
Collagen-induced autoimmunity, 343
Color change, 16
Composite biomaterials, 284
Composite/hard tissue, 188
Confocal laser scanning microscope (CLSM), 238
Contact lens, 336
Controlled release, 295
Conversion, 206
Cracking, 166
Critical stresses, 166
Crosslinking, 343, 421
Crowns, 381
Crystallinity, 284
Cutting quality, 223
Cytotoxicity, 295

Degradation, 90
Degree of polymerization, 153
Dental, 214
Dental ceramics, 381
Dental composites, 278
Dental crowns, 166
Dental nano-filled resin composite, 16
Dental polymers, 153
Dental resin composite, 414
Dental restorative resin/composite, 206
Dentin bonding, 90
Dissolution rate, 66
DNA microarray, 260
Double bond, 206

Elastic modulus, 172
Electrical stimulation, 355
Electrospinning, 144
Endocrine-disrupting chemicals (EDCs), 214
Endoscopic mucosal resection, 367
Eugenol, 429

Fatigue, 381
Finite-element analysis, 188
Flexural properties, 322
Flexure strength, 172, 278
Fracture fixation, 201
Fracture toughness, 99
Friction tester, 414
Functionally gradient, 66

Gastric perforation, 367
Gelatin, 305, 313, 373
Gene expression, 260
Gene profiling, 260
Genipin, 181
Graft copolymerization, 305

Hemostasis, 84, 367
Histological analysis, 229
Histological response, 252
Hot pressing, 284
hTERT, 214
Hyaluronic acid (HA), 421
Hydrogel, 305
Hydrophobicity, 336
Hydroxyapatite, 52, 116, 284, 408
Hydroxyapatite–collagen–citric-acid composites, 130
Hydroxyapatite composite, 398
Hydroxyapatite/fluor-hydroxyapatite, 66
Hydroxylapatite, 201

Implant design, 837
Implantation of prostheses, 223
Implant fixation, 048
Immunogenicity, 343
In situ bone substitute, 123
Interface patterns, 38
Intravital microscopy, 108
in vitro cultures, 30
In vitro evaluation, 38
In vivo, 1, 84
Ion leaching, 172

Laminectomy, 421
Laser, 7, 46, 916
Leucite, 99
Liquid-crystalline macromonomers, 153
Lithium disilicate, 99
Liver, 84
Loss tangent, 327

Macrophage, 244
Mechanical properties, 46, 188, 284
Mechanical test, 398

Michael addition, 153
Microspheres, 295
Mineralization, 229
Mitochondrial dehydrogenase, 429
Mobile-bearing knee prosthesis, 1

Nanoleakage, 90
Nanoneedle particle, 116
Nickel, 03
Nonspecific adhesive systems, 38
Numerical analysis, 188

Oral wear simulator, 414
Osseointegration, 398
Osteoblast, 30, 244
Osteoblast differentiation, 130
Osteogenic protein-1, 408
Osteolysis, 360
Osteoporosis, 30

Packable composites, 327
Particles, 108
Pepsin treatment, 343
Peridural scar adhesion, 421
Photocrosslinkable chitosan, 367
Physiologically clotted fibrin, 305
PMMA, 116
Polycarbonate, 214
Poly(ethylene glycol), 181
Polyethylene wear particle, 1, 244
Poly(glycolic acid), 144
Polylactide, 201
Poly-L-lactic acid felt, 252
Poly-L-lactide, 284
Polymerization, 16, 206
Polymerization shrinkage, 153
Polymethylmethacrylate, 196
Porosity, 99
Profilometer, 3D, 414
Proinflammatory cytokines, 360

Rabbits, 408
Radical cracks, 381
Raman spectroscopy, 7
Resin penetration, 238
Rheology, 116
Root-end filling materials, 429
Rotator-cuff reconstruction, 252
Roughness, 336

Sandblasting, 381
Scaffold, 52, 144, 355, 373
Scanning electron microscope, 7
Scanning electron microscope (SEM), 238
SEM, 90
Shear storage modulus, 327
Sheep model, 123
Shrinkage stress, 206
Smooth muscle cells, 181
Soft denture liners, 196
Sol–gel thin film, 66
Solid loading, 116
Stainless steel, 30
Stainless steel 21G ultrasonic biopsy needle, 392
Sterilization, 268
Stress, 188
Submicrometer hiatus structures, 238
Submucosal layer, 367
Substratum surfaces, 336
Surface modification, 159
Surface roughness, 7
Synovial fluid, 1
Synovial microcirculation, 108

TEM, 90
Tensile bond strength, 196
Tensile properties, 252
Thermocycling, 16
Three-point bending test, 278
Tissue engineering, 52, 144, 159, 313, 373
Tissue immune responses, 108
Titanium, 46, 408
Titanium alloy, 46
Tooth, 7
Total hip replacements, 166
Total knee arthroplasty, 1
Toxicity, 429

Viscoelastic functions, 327

Water jet cutting, 223
Water trees, 90
Wear, 414
Wear debris, 360
Wound dressing, 268, 305
Wound healing, 84